

Certificate of Analysis

Product Name: Fish Collagen

MFG.DATE: 12, Dec.,2022

EXPIRY DATE: 11, Dec., 2025

SHELFLIFE: ThreeYears

BATCH NO.: FP20221210

Physical/Chemical Tests:	Unit	Standard	Result
Color	-	White or Pale Yellow	Pass
Odor	-	Collagen characteristic smell	Pass
Impurity	-	Can not be seen by the naked eyes	Pass
Protein (dry basis)	%	≥ 90	95.01%
PH	-	5-7	6.51
Moisture	%	≤ 7.0	6.5
Ash	%	≤ 7.0	2.1
Total Nitrogen	%	≥ 15	16.41
Lead (Pb)	mg/kg	≤ 1.0	<1.0
Arsenic (As)	mg/kg	≤ 1.0	<1.0
Cadmium (Cd)	mg/kg	≤ 0.1	<0.1
Mercury (Hg)	mg/kg	≤ 0.5	<0.5
Chromium (Cr)	mg/kg	≤ 2.0	<2.0
Total Bacteria Count	cfu/1g	≤ 5000	<1000
Coli Group	cfu/1g	≤ 30	<30
Salmonella	/25g	Negative	Negative
Staphylococcus Aureus	/25g	Negative	Negative