

Certificate of Analysis

Product Name: Fish Collagen

MFG. DATE: 11, Nov., 2023

EXPIRY DATE: 10, Nov., 2026

SHELF LIFE: Three Years

BATCH NO.: 231108-7-8-9

Physical/Chemical Tests:	Unit	Standard	Result
Color	-	White or Pale Yellow	Pass
Odor	-	Collagen characteristic smell	Pass
Impurity	-	Can not be seen by the naked eyes	Pass
Protein (dry basis)	%	≥ 90	96.1%
PH	-	5-7	6.3
Moisture	%	≤ 7.0	6.41
Ash	%	≤ 7.0	1.6
Total Nitrogen	%	≥ 15	16.5
Lead (Pb)	mg/kg	≤ 1.0	<1.0
Arsenic (As)	mg/kg	≤ 1.0	<1.0
Cadmium (Cd)	mg/kg	≤ 0.1	<0.1
Mercury (Hg)	mg/kg	≤ 0.1	<0.1
Chromium (Cr)	mg/kg	≤ 2.0	<2.0
Total Bacteria Count	cfu/1g	≤ 1000	<1000
Coli Group	cfu/1g	≤ 10	Negative
Salmonella	/25g	Negative	Negative
Staphylococcus Aureus	/25g	Negative	Negative
Sulfur Dioxide(SO₂)	mg/kg(ppm)	<10	<10