

=====

CERTIFICATE OF ANALYSIS

=====



Sold To :
 Ship To :
 Product : 1032608 Date : 16.09.2022
 SOLMIKO MPC 1001 20KG
 Delivery No : 827531413 Tonnes : 10.800
 Cust. Order No. : Container : MRSU 468226/6

COA NAME : :

Day Code: 137TA Manufacturing Date 17.05.2022
 Best Before Date: May 2024
 Pallets : 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 29,
 8, 9,

Characteristic	Value
Expiration date, shelf life	16.05.2024
Protein (As Is) %	82.89
Protein Dry Basis (%)	79.82
Moisture %	5.32
Fat (%)	1.30
Ash (%)	7.44
Lactose (%)	3.1000
Bulk Density (g/ml)	0.32
pH	6.90
Scorched Particles	A
Sediment Disc	A1
Std Plate Count (cfu/g)	1300
Thermophilic Plate Cnt (cfu/g)	200
Coliforms (cfu/g)	< 1
E-coli (qty in 1g)	< 1
* Enterobacteriaceae (cfu/g)	< 1
Yeasts & Moulds (cfu/g)	< 10
S.aureus Coagulase Pos (cfu/g)	< 1
** Salmonella / 375g	Not detected
** Listeria in 25g	Not detected

* Presumptive Result

** Sub Contracted Test

This document has been produced electronically and is valid without asignature. In the event of a query, Please contact

IE
1022
EC

Delivery item/date
827531413
16.09.2022

Page
2 of 2

Day Code: 232TA Manufacturing Date 20.08.2022
Best Before Date: August 2024
Pallets : 10, 11, 12, 13, 14, 15,

Characteristic	Value
Expiration date, shelf life	19.08.2024
Protein (As Is) %	81.44
Protein Dry Basis (%)	85.45
Moisture %	4.69
Fat (%)	1.18
Ash (%)	7.19
Lactose (%)	5.5000
Bulk Density (g/ml)	0.32
pH	6.74
Scorched Particles	A
Sediment Disc	A1
Std Plate Count (cfu/g)	100
Thermophilic Plate Cnt (cfu/g)	100
Coliforms (cfu/g)	< 1
E-coli (qty in 1g)	< 1
* Enterobacteriaceae (cfu/g)	< 1
Yeasts & Moulds (cfu/g)	< 10
S.aureus Coagulase Pos (cfu/g)	< 1
** Salmonella / 375g	Not detected
** Listeria in 25g	Not detected

* Presumptive Result

** Sub Contracted Test

This document has been produced electronically and is valid without asignature. In the event of a query,
Please contact